

Carpet Area Statement											Date :16-12-2019		
S.No	BLOCK no	Wing	Floor	flat no	unit type	RERA Carpet Area (sec 2(k)) (s.qm)	Exclusive Balcony (s.qm)	Exclusive Verandah/Utility/Service /Open Terrace (sq.m)	Proportionate Common area (s.qm)	Total area (s.qm)	UDS in (s.qm)	Car parking (Nos)	
												covered	open
1	B	B4	First Floor	B4-101	2 Bhk	42.05	2.18	0	11.02	55.25	36.2	0	0
2	B	B4	First Floor	B4-102	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
3	B	B4	First Floor	B4-103	2 Bhk	42.05	2.18	0	11.02	55.25	36.2	0	0
4	B	B4	First Floor	B4-104	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
5	B	B4	First Floor	B4-105	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
6	B	B4	First Floor	B4-106	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
7	B	B4	First Floor	B4-107	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
8	B	B2	First Floor	B2-108	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
9	B	B2	First Floor	B2-109	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
10	B	B2	First Floor	B2-110	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
11	B	B2	First Floor	B2-111	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
12	B	B2	First Floor	B2-112	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
13	B	B2	First Floor	B2-113	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
14	B	B2	First Floor	B2-114	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
15	B	B2	First Floor	B2-115	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
16	B	B1	First Floor	B1-116	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
17	B	B1	First Floor	B1-117	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
18	B	B1	First Floor	B1-118	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
19	B	B1	First Floor	B1-119	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
20	B	B1	First Floor	B1-120	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
21	B	B1	First Floor	B1-121	2 Bhk	42.05	2.18	0	11.02	55.25	36.2	0	0
22	B	B1	First Floor	B1-122	2 Bhk	42.05	2.18	0	11.02	55.25	36.2	0	0
23	B	B1	First Floor	B1-123	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
24	B	B1	First Floor	B1-124	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
25	B	B1	First Floor	B1-125	2 Bhk	42.05	2.18	0	11.02	55.25	36.2	0	0
26	B	B3	First Floor	B3-126	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
27	B	B3	First Floor	B3-127	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
28	B	B3	First Floor	B3-128	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
29	B	B3	First Floor	B3-129	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
30	B	B3	First Floor	B3-130	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
31	B	B3	First Floor	B3-131	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
32	B	B4	First Floor	B4-132	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
33	B	B4	First Floor	B4-133	2 Bhk	42.05	2.18	0	11.02	55.25	36.2	0	0
34	B	B4	First Floor	B4-134	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
35	B	B4	Second Floor	B4-201	2 Bhk	42.05	2.18	0	11.02	55.25	36.2	0	0
36	B	B4	Second Floor	B4-202	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
37	B	B4	Second Floor	B4-203	2 Bhk	42.05	2.18	0	11.02	55.25	36.2	0	0
38	B	B4	Second Floor	B4-204	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
39	B	B4	Second Floor	B4-205	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
40	B	B4	Second Floor	B4-206	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
41	B	B4	Second Floor	B4-207	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
42	B	B2	Second Floor	B2-208	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
43	B	B2	Second Floor	B2-209	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
44	B	B2	Second Floor	B2-210	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
45	B	B2	Second Floor	B2-211	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
46	B	B2	Second Floor	B2-212	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
47	B	B2	Second Floor	B2-213	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
48	B	B2	Second Floor	B2-214	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
49	B	B2	Second Floor	B2-215	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
50	B	B1	Second Floor	B1-216	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
51	B	B1	Second Floor	B1-217	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
52	B	B1	Second Floor	B1-218	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
53	B	B1	Second Floor	B1-219	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
54	B	B1	Second Floor	B1-220	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
55	B	B1	Second Floor	B1-221	2 Bhk	42.05	2.18	0	11.02	55.25	36.2	0	0
56	B	B1	Second Floor	B1-222	2 Bhk	42.05	2.18	0	11.02	55.25	36.2	0	0
57	B	B1	Second Floor	B1-223	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
58	B	B1	Second Floor	B1-224	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
59	B	B1	Second Floor	B1-225	2 Bhk	42.05	2.18	0	11.02	55.25	36.2	0	0
60	B	B3	Second Floor	B3-226	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
61	B	B3	Second Floor	B3-227	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
62	B	B3	Second Floor	B3-228	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
63	B	B3	Second Floor	B3-229	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
64	B	B3	Second Floor	B3-230	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
65	B	B3	Second Floor	B3-231	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
66	B	B4	Second Floor	B4-232	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
67	B	B4	Second Floor	B4-233	2 Bhk	42.05	2.18	0	11.02	55.25	36.2	0	0
68	B	B4	Second Floor	B4-234	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
69	B	B4	Third Floor	B4-301	2 Bhk	42.05	2.18	0	11.02	55.25	36.2	0	0
70	B	B4	Third Floor	B4-302	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
71	B	B4	Third Floor	B4-303	2 Bhk	42.05	2.18	0	11.02	55.25	36.2	0	0
72	B	B4	Third Floor	B4-304	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
73	B	B4	Third Floor	B4-305	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
74	B	B4	Third Floor	B4-306	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
75	B	B4	Third Floor	B4-307	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
76	B	B2	Third Floor	B2-308	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
77	B	B2	Third Floor	B2-309	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
78	B	B2	Third Floor	B2-310	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
79	B	B2	Third Floor	B2-311	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
80	B	B2	Third Floor	B2-312	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
81	B	B2	Third Floor	B2-313	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0

Handwritten signature



82	B	B2	Third Floor	B2-314	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
83	B	B2	Third Floor	B2-315	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
84	B	B1	Third Floor	B1-316	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
85	B	B1	Third Floor	B1-317	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
86	B	B1	Third Floor	B1-318	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
87	B	B1	Third Floor	B1-319	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
88	B	B1	Third Floor	B1-320	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
89	B	B1	Third Floor	B1-321	2 Bhk	42.05	2.18	0	11.02	55.25	36.2	0	0
90	B	B1	Third Floor	B1-322	2 Bhk	42.05	2.18	0	11.02	55.25	36.2	0	0
91	B	B1	Third Floor	B1-323	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
92	B	B1	Third Floor	B1-324	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
93	B	B1	Third Floor	B1-325	2 Bhk	42.05	2.18	0	11.02	55.25	36.2	0	0
94	B	B3	Third Floor	B3-326	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
95	B	B3	Third Floor	B3-327	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
96	B	B3	Third Floor	B3-328	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
97	B	B3	Third Floor	B3-329	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
98	B	B3	Third Floor	B3-330	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
99	B	B3	Third Floor	B3-331	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
100	B	B4	Third Floor	B4-332	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
101	B	B4	Third Floor	B4-333	2 Bhk	42.05	2.18	0	11.02	55.25	36.2	0	0
102	B	B4	Third Floor	B4-334	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
103	B	B4	Fourth Floor	B4-401	2 Bhk	42.05	2.18	0	11.02	55.25	36.2	0	0
104	B	B4	Fourth Floor	B4-402	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
105	B	B4	Fourth Floor	B4-403	2 Bhk	42.05	2.18	0	11.02	55.25	36.2	0	0
106	B	B4	Fourth Floor	B4-404	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
107	B	B4	Fourth Floor	B4-405	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
108	B	B4	Fourth Floor	B4-406	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
109	B	B4	Fourth Floor	B4-407	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
110	B	B2	Fourth Floor	B2-408	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
111	B	B2	Fourth Floor	B2-409	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
112	B	B2	Fourth Floor	B2-410	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
113	B	B2	Fourth Floor	B2-411	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
114	B	B2	Fourth Floor	B2-412	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
115	B	B2	Fourth Floor	B2-413	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
116	B	B2	Fourth Floor	B2-414	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
117	B	B2	Fourth Floor	B2-415	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
118	B	B1	Fourth Floor	B1-416	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
119	B	B1	Fourth Floor	B1-417	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
120	B	B1	Fourth Floor	B1-418	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
121	B	B1	Fourth Floor	B1-419	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
122	B	B1	Fourth Floor	B1-420	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
123	B	B1	Fourth Floor	B1-421	2 Bhk	42.05	2.18	0	11.02	55.25	36.2	0	0
124	B	B1	Fourth Floor	B1-422	2 Bhk	42.05	2.18	0	11.02	55.25	36.2	0	0
125	B	B1	Fourth Floor	B1-423	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
126	B	B1	Fourth Floor	B1-424	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
127	B	B1	Fourth Floor	B1-425	2 Bhk	42.05	2.18	0	11.02	55.25	36.2	0	0
128	B	B3	Fourth Floor	B3-426	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
129	B	B3	Fourth Floor	B3-427	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
130	B	B3	Fourth Floor	B3-428	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
131	B	B3	Fourth Floor	B3-429	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
132	B	B3	Fourth Floor	B3-430	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
133	B	B3	Fourth Floor	B3-431	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
134	B	B4	Fourth Floor	B4-432	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0
135	B	B4	Fourth Floor	B4-433	2 Bhk	42.05	2.18	0	11.02	55.25	36.2	0	0
136	B	B4	Fourth Floor	B4-434	1 Bhk	32.34	2.54	0	8.74	43.62	28.50	0	0

Amal
